





High quality workbench with 2-point extraction

THE SCORPION™ RANGE



The **scorpion** dual extraction bench has two adjustable extraction positions for maximum capture of product.

The Scorpion™ is fitted with a Nellie™ extraction arm.

WHY YOU SHOULD USE THE SCORPION™

The Scorpion™ minimises space and maximises extraction ability. Some of Scorpion's many benefits include:


- Dual extraction; the fan will draw air both from the owndraft on the bench and the extraction arm.
- Fitted with an adjustable internal damper which balances the levels of extraction between the downdraft on the table and the arm.
- Can be fitted with Tiger[™] extraction fan or connected to remote fan/filter system.
- Useful revolving plate option on worktop for convenient use with smaller objects.
- Heavy duty construction; a 5mm steel workbench covering a box-section frame. Built for the most demanding applications.
- May be fitted with fan, or fan and pulse-cleaning filter unit option. See individual unit data sheets for full details.





Scorpion Filter Bench


EFFICIENT. DUAL. BALANCED.



Available with or without under-bench TigerTM fan unit. With extract grille and NellieTM arm. Optional turntable available.




Stainless steel units available, also specialist coatings and bespoke sizes to customers' requirements.



The Scorpion[™] filter bench incorporates a fan and a compact compressed-air pulse cleaning filter system below the bench. Carbon filters are also available for fume capture. With extract grille and Nellie[™] arm. Optional turntable available.

A very convenient option which saves installing a separate filter unit.



	Overall bench size (mm)	Bench height (mm)	Weight (no arm) (KG)	Design Airflow (KG)	Filter Grade	Electrical supply	Fan Power	Run (Start) current A	RPM	Noise level (dB(A) 1M	Compressed air supply
Scorpion™	1250 x 850	860	80	1100	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Scorpion™ Fan	1250 x 850	860	120	1100	n/a	240V AC or 415V AC 50Hz	0.75KW	7(19) - 240V	2800	79	n/a
Scorpion™ Filter	1250 x 850	860	140	1100	F9 / 98% dust	240 / 415V AC 50Hz	1.1KW	2.5(14) - 415V	2800	79	4.5 bar min

The Exeon® products are a high-quality range of LEV equipment which include the following:











Suitable for most industries, including:

- Metalwork and welding
- Food
- Wood Products
- Solvent and other fumes
- Paint
- Plastic and rubber products
- Precious metals
- Pharmaceuticals

- Glass industry
- Textiles
- Chemicals
- Stone and aggregates

TO SEE THE RANGE, ASK FOR A FREE SITE VISIT FROM OUR DISPLAY VAN



Exeon Limited // Unit 6 Fen End // Stotfold // Hitchin // Herts // SG5 4BA t 01462 410010 // e sales@exeon.co.uk // w www.exeon.co.uk